

INDEX TO VOLUME XX

A

- Acanthis linaria linaria*, 129
Accipiter cooperi, 18, 40, 127
 velox, 127
Aegialitis semipalmata, 185
Aeronautes melanoleucus, 103
Agelaius phoeniceus nevadensis, 72
 phoeniceus phoeniceus, 41, 186, 214
 tricolor, 18
Aimophila ruficeps eremoeca, 42, 212
Aix sponsa, 91
Ajaia ajaja, 79
Albatross, Black-footed, 179, 180
Aluco pratincola, 40
Ammodramus savannarum bimaculatus, 42
Amphispiza belli belli, 190
 bilineata bilineata, 42
 bilineata deserticola, 23
Anas platyrhynchos, 75
 Anderson, R. M., and Taverner, P. A., re-
 view of their "summary report of the
 geological survey of Canada, 1916",
 141
Anhinga, 38
Anhinga anhinga, 38
Anser albifrons albifrons, 85
Anthus rubescens, 45
 spraguei, 24
Antrostomus carolinensis, 41
 vociferus macromystax, 22
Aphelocoma californica californica, 12, 18,
 71, 117
 californica immanis, 190
 californica obscura, 60
 sieberi arizonae, 21
 texana, 212
Aphriza virgata, 85
Aquila chrysaetos, 72, 191
Archibuteo ferrugineus, 127
 lagopus sancti-johannis, 91
Archilochus alexandri, 21, 41, 46
Ardea herodias herodias, 18, 185
Ardetta exilis, 39
Asio flammeus, 101, 125, 127
 wilsonianus, 127
Astragalinus psaltria hesperophilus, 16
 tristis salicamans, 16
Astur atricapillus, 141
Asyndesmus lewisii, 18
Auklet, Cassin, 180
 Paroquet, 85
Auriparus flaviceps flaviceps, 43

B

- Baeolophus atricristatus sennetti*, 43
 wollweberi, 21
 Bailey, Florence Merriam, a return to the
 Dakota Lake region, 24, 64, 110, 132,
 170
 Baldpate, 123
 Belding, Lyman, death notice, 47; photo of,
 50
 Bergtold, W. H., review of his "a study of
 the incubation periods of birds—
 what determines their length?", 95
 Bittern, American, 28, 35, 75, 112, 136
 Least, 39
 Blackbird, Brewer, 72
 Nevada Red-wing, 72
 Red-winged, 18, 31, 41, 64, 65, 186
 Tricolored, 18
 Yellow-headed, 34, 69
 Bluebird, 44
 Western, 16, 18, 71
 Bobolink, 34, 68, 112, 113
 Bob-white, Texas, 39
Bombycilla cedrorum, 186
Bonasa umbellus, 185
Botaurus lentiginosus, 75
 Bowles, J. H., northern owls again visit
 Washington, 45; two more records for
 the widgeon in Washington and other
 notes, 93
Brachyramphus marmoratus, 184
 Bradbury, William C., notes on the nesting
 habits of the white-throated swift in
 Colorado, 103; notes on the nesting of
 the mountain plover, 157; nesting of
 the rocky mountain jay, 197
Branta canadensis, 185
 Bryant, Harold C., evidence on the food of
 hawks and owls in California, 126; a
 new bird for Catalina Island, 193
Bubo virginianus pacificus, 125, 127
 virginianus pallescens, 40
 virginianus saturatus, 45
 Bunting, Indigo, 23, 24
 Lazuli, 19, 23, 212
 Painted, 42, 191
 Bush-tit, Lead-colored, 170
Buteo borealis calurus, 40, 72, 127, 191
 borealis krideri, 214
 lineatus alleni, 40
 swainsoni, 191
Butorides virescens anthonyi, 169
 virescens virescens, 39

C

- Calcarius ornatus*, 87
Callipepla squamata castanogastris, 39
Calypste anna, 16, 18, 123
 costae, 21, 114, 168
Camptostoma imberbe, 212
Cardellina rubrifrons, 168
Cardinal, Gray-tailed, 42
Cardinalis cardinalis canicaudus, 42
Carpenter, Nelson K., observations in a swallow colony, 90; an odd nest of the song sparrow of Los Coronados Islands, 124
Carpodacus cassini, 71
 mexicanus frontalis, 15
Catbird, 28, 30
Catharista urubu, 24, 40
Cathartes aura septentrionalis, 40
Catherpes mexicanus conspersus, 43, 168
Centurus carolinus, 24
 aurifrons, 41
Cephus columba, 184
Certhia familiaris zelotes, 76
Ceryle alcyon, 186
 alcyon caurina, 72
 americana septentrionalis, 41
Chaemepelia pallescens pallescens, 169
Chaetura vauxi, 16, 18
Chapman, Frank S., review of his "the distribution of bird life in Colombia", 95
Chat, Yellow-breasted, 43
Chen rossi, 24
Chickadee, Chestnut-backed, 186
 Mountain, 13, 16, 21, 71, 72, 73, 76, 97, 199
 Oregon, 61
 Plumbeus, 43
Chicken, *Prairie*, 30, 110, 132, 134
Chondestes grammacus strigatus, 42, 190
Chordeiles acutipennis texensis, 41, 96
 virginianus henryi, 22
 virginianus hesperis, 24, 73
Chuck-wills-widow, 41
Cinclus mexicanus unicolor, 13, 70
Circus hudsonius, 18, 40, 127
Clangula islandica, 3
Coccyzus americanus americanus, 41
Coeligena clemenciae, 168
Colaptes auratus, 186
 auratus cafer, 216
 auratus cafer, 142
 cafer collaris, 72
 chrysoides, 169
Colinus virginianus texanus, 39
Columba fasciata fasciata, 15, 45, 185
Colymbus dominicus brachypterus, 38
 holboellii, 93, 184
 nigricollis californicus, 16, 18, 38
Communication, 213
Contopus pertinax pallidiventris, 167, 168
 richardsoni richardsoni, 168
Cooper Ornithological Club, directory of members, 147; minutes of, 99, 144, 194
Coot, American, 8, 32, 35, 36, 39, 92, 170, 193
Cormorant, Brandt, 85
Corvus brachyrhynchos, 140
 caurinus, 186
 corax, 186
Cory, Charles B., review of his "catalogue of birds of the Americas and adjacent islands in Field Museum of Natural History", 143
Cowbird, Dwarf, 41, 211
Creeper, Rocky Mountain, 199
 Sierra, 76
Crossbill, Bendire, 22, 24
 White-winged, 85
Crow, American, 27, 30, 34, 140, 170, 172
 Northwest, 186
Cryptoglaux acadica brooksi, 144
Cuckoo, Yellow-billed, 41, 136
Cyanocephalus cyanocephalus, 74, 190
Cyanocitta stelleri, 186
 stelleri diademata, 168
 stelleri frontalis, 16, 76
Cyanolaemus clemenciae bessophilus, 181
 clemenciae clemenciae, 181
Cyanospiza ciris, 42, 191

D

- Daffla acuta*, 77
Davis, John M., long waits for sets of the winter wren, 190
Dendragapus obscurus, 185
 obscurus sierrae, 45
Dendroica aestiva brewsteri, 15, 19
 aestiva sonorana, 168
 auduboni auduboni, 16, 22, 70, 189
 auduboni nigrifrons, 22
 chrysoptera, 43
 graciae, 168
 nigrescens, 46
Dice, Lee R., notes on the nesting of the redpoll, 129
Dickcissel, 42
Diomedea nigripes, 179
Dove, Inca, 40, 169
 Mexican Ground, 169
 Mourning, 109, 113, 169, 176
 Western Mourning, 39
 White-winged, 169
Dowitcher, Long-billed, 85
Dryobates pubescens glacialis, 85
 pubescens homorus, 22
 pubescens turati, 16
 scalaris bairdi, 41
 scalaris cactophilus, 169
 villosus, 186
 villosus hyloscopus, 16, 86, 169
 villosus leucothorectis, 86
 villosus orlus, 71, 86

Du Bois, A. D., an albino magpie, 189; a late nest of Swainson hawk, 191

Duck, Golden-eye, 134, 135
Ring-necked, 24
Ruddy, 19, 37, 39, 170, 171
Wood, 34, 56, 91

Dwight, Jonathan, review of his "the geographical distribution of color and of other variable characters in the genus Junco: a new aspect of specific and subspecific values", 142

E

Eagle, Bald, 185
Golden, 72, 191, 212
Harpy, 78
Editorial notes and news, 47, 94, 128, 140, 194, 213
Empidonax fulvifrons pygmaeus, 168
hammondi, 18
trailli trailli, 168, 211
wrighti, 78
Ereunetes mauri, 185
Erisimatura jamaicensis, 19, 39
Eugenes fulgens, 168
Euphagus cyanocephalus, 72

F

Falco mexicanus, 127
sparverius sparverius, 73, 127
Falcon, Prairie, 127, 195
Finch, Cassin Purple, 71, 78
Gray-crowned Rocsy, 76
House, 15
Fisher, Walter K., in memoriam: Lyman Belding, 51
Flicker, 27, 35, 176, 186
Gilded, 169
Hybrid, 142, 216
Red-shafted, 72, 73, 74
Flycatcher, Arizona Crested, 22, 168
Arkansas, 18
Ash-throated, 41, 168
Beardless, 212
Buff-breasted, 168
Coues, 21, 167, 168
Crested, 41
Gray, 44
Hammond, 18
Olivaceous, 168
Olive-sided, 21, 46
Scissor-tailed, 41, 212
Sulphur-bellied, 168
Traill, 168, 211, 212
Vermilion, 41, 167
Wright, 77, 78
Fringilla crissalis, 117
Fulica americana, 39, 92, 193

G

Gadwall, 27
Gallinago delicata, 74, 85
Gallinula galeata, 39
Gallinule, Florida, 39
Purple, 39
Gavia immer, 184
pacific, 24
Geococcyx californianus, 40
Geothlypis beldingi, 57, 60
trichas occidentalis, 16, 169
trichas sinuosa, 62
Glaucidium gnoma californicum, 18, 86, 127
gnoma pinicola, 86
Gnatcatcher, Blue-gray, 44
Western, 19
Goellitz, Walter A., the short-eared owl in Saskatchewan, 101
Golden-eye, 3, 27, 177
Barrow, 3
Goldfinch, 136, 176
Green-backed, 16
Willow, 16
Goose, Blue, 56
Canada, 44, 71, 75, 185
Ross Snow, 24
White-fronted, 85
Goshawk, 216
Western, 141
Grackle, Bronzed, 42
Great-tailed, 42
Grebe, American Eared, 16, 18, 38, 136, 196
Holboell, 171, 175, 184
Horned, 93
Mexican, 38
Pied-billed, 189
Grey, Henry, wood duck at San Diego, 91; wood ibis at San Diego, 126
Grinnell, H. W., review of T. Gilbert Pearson's "the bird study book", 48
Grinnell, Joseph, the status of the white-rumped petrels of the California coast, 56; seven new or noteworthy birds from east-central California, 86; the name of the American barn swallow, 92; review of W. H. Bergtold's "a study of the incubation periods of birds—what determines their length?", 95; review of "Birds of America", 97; review of Robert Cushman Murphy's "Natural history observations from the Mexican portion of the Colorado desert", 97; extension of the known distribution of some northern California birds, 190; the Virginia warbler in California, 193
Grosbeak, Black-headed, 14, 19
Evening, 45
Western Blue, 169
Western Evening, 71, 168
Grouse, Blue, 185
Ruffed, 185

- Sierra, 45
Guara rubra, 78
Guiraca caerulea lazula, 169
caerulea salicarius, 92
 Gull, Bonaparte, 27, 77, 85
 Franklin, 27, 175, 177, 178, 192
 Glaucous-winged, 184
 Heermann, 122, 145, 185, 187
 Herring, 184
 Short-billed, 184
 Swallow-tailed, 116
 Western, 124

H

- Haliaeetus leucocephalus*, 185
 Hanna, Wilson C., nesting notes from the San Bernardino Valley, 126; first occurrence of the dwarf cowbird in the San Bernardino Valley, California, 211
 Hansen, Harold E., two midwinter records for San Francisco County, California, 93
 Hansen, Harold E., and Squires, Walter A., the destruction of birds at the light-houses on the coast of California, 6
 Hasselborg, Allen E., bird notes from Admiralty Island, southeastern Alaska, 191
 Hawk, American Sparrow, 73, 127
 Cooper, 18, 40, 127
 Florida Red-shouldered, 40
 Harris, 40, 212
 Marsh, 18, 30, 35, 40, 111, 113, 127, 132, 134
 Pigeon, 185
 Red-tailed, 107
 Rough-legged, 91
 Sennett White-tailed, 212
 Sharp-shinned, 127
 Swainson, 191
 Western Red-tailed, 72, 127, 191
Heleodytes brunneicapillus couesi, 43, 189
 Hen, Heath, 146
 Henshaw, F. W., some pugnacious coots, 92
 Heron, Anthony Green, 169
 Black-crowned Night, 28, 29, 35, 39, 171, 172
 Great Blue, 18, 185
 Green, 39
 Louisiana, 39
Hesperiphona vespertina californica, 45
 vespertina montana, 71, 168
Heterorhynchus olivaceus, 114
Himantopus mexicanus, 126
Hirundo erythrogaster, 92
 rustica, 92
 rustica erythrogaster, 92
 rustica palmeri, 92
 Holleman, Ridley, and Quillin, Roy W., the

breeding birds of Bexar County, Texas, 37

- Howell, A. B., review of E. R. Kalmbach's "the crow and its relation to man", 140
 Hummingbird, Allen, 146
 Anna, 16, 18, 75
 Black-chinned, 21, 41, 46
 Blue-throated, 168
 Broad-tailed, 21, 87, 168
 Calliope, 16, 70, 74
 Costa, 21, 114, 168, 196
 Rivoli, 168
 Rufous, 146, 186
 Hunt, Richard, the tragical addition of a new bird to the Campus list, 125
Hydranassa tricolor ruficollis, 39
Hyllocichla aonalaschkae auduboni, 61
 guttata auduboni, 89
 guttata polionota, 89
 guttata sequoiensis, 24, 89
 guttata slevini, 192
 ustulata oedica, 61
 ustulata swainsoni, 89
 ustulata ustulata, 192

I

- Ibis, Scarlet, 78
 White-faced Glossy, 39
 Wood, 126
Icteria virens virens, 43
Icterus bullocki, 42, 170
 cucullatus nelsoni, 170
 parisorum, 22, 170
 Ingersoll, A. M., second occurrence of Wilson plover in California, 187
Ionornis martinica, 39
Iridoprocne bicolor, 42, 71, 85

J

- Jaeger, Long-tailed, 85
 Jay, Arizona, 21
 Belding, 60, 98
 Blue-fronted, 16, 76
 California, 12, 18, 71, 98
 Canada, 186, 206, 208
 Long-crested, 168
 Long-tailed, 190
 Oregon, 83
 Pinyon, 74, 190, 201
 Rocky Mountain, 197
 Steller, 186
 Texas, 212
 Woodhouse, 71
 Xantus, 98
 Junco, Arizona, 168
 Red-backed, 21, 22, 23
 Sierra, 76, 189
 Thurber, 15

- Junco annectens*, 142
bairdi, 57
dorsalis, 142
hyemalis connectens, 84, 142
hyemalis hyemalis, 142
hyemalis montanus, 142
hyemalis thurberi, 15
oreganus couesi, 142
oreganus shufeldti, 84, 142
oreganus thurberi, 76, 189
phaeonotus dorsalis, 22
phaeonotus palliatus, 23, 168
ridgwayi, 142
- K**
- Kalmbach, E. R., review of his "the crow and its relation to man", 140
 Killdeer, 30, 35, 39, 66, 69
 Kingbird, 27, 30, 34, 44, 111, 172, 177
 Arkansas, 34, 176, 190
 Cassin, 168, 169
 Kingfisher, 186
 Texas, 41
 Western Belted, 72, 73
 Kinglet, 186
 Sitka, 85
 Western Golden-crowned, 24
 Western Ruby-crowned, 72, 77, 78
 Kirn, A. J., supposed new record for central Kansas, 191
 Kitchin, E. A., the rough-legged hawk in western Washington, 91
- L**
- Lanius borealis*, 61
 ludovicianus, 209
 ludovicianus anthonyi, 209
 ludovicianus gambeli, 209
 ludovicianus mearnsi, 209
 ludovicianus mexicanus, 209
 ludovicianus nelsoni, 209
Lanivireo solitarius, 141
 solitarius cassini, 19
 solitarius plumbeus, 168
 Lark, Horned, 69
 Yuma Horned, 146
Larus argentatus, 184
 brachyrhynchus, 184
 franklini, 192
 glaucescens, 184
 heermanni, 122, 185, 187
 philadelphia, 77, 85
 Leopold, Aldo, do purple martins inhabit bird boxes in the west?, 93; are red-headed woodpeckers moving west?, 122
 Litsey, John B., an eastern record for the Townsend solitaire, 44
 Littlejohn, Chase, lesser yellow-legs and pectoral sandpiper in San Mateo County, California, 44
- Longspur, Chestnut-collared, 87, 113
 Loon, Common, 184
 Pacific, 24
Loxia curvirostra bendirei, 22, 24
 curvirostra stricklandi, 22
 leucoptera, 85
Lunda cirrhata, 178
- M**
- Macrorhamphus griseus scolopaceus*, 85
 Magpie, American, 72, 176, 189
 Maillhard, Joseph, early autumn birds in Yosemite Valley, 11; additional records of the European widgeon in California, 122; the Yolla Bolly fox sparrow, 138; new records for some of the islands off the coast of southern California, 189; when the thrushes cease from singing, 192
 Mallard, 33, 35, 37, 67, 75, 133, 191
Mareca americana, 188
 penelope, 93, 122, 187, 192
Marila collaris, 24
 Martin, Purple, 42, 47, 61, 93, 132, 136
 Meadowlark, Western, 34, 61, 68, 69, 100, 112, 134
Megalestris skua, 179
Megaquiscalus major macrourus, 42
Melanerpes erythrocephalus, 122
 formicivorus bairdi, 16
Meleagris gallopavo intermedius, 212
Melopelia asiatica, 169
Melospiza lincolni lincolni, 17, 189
 lincolni striata, 17, 18
 melodia clementae, 124
 melodia cooperi, 126
 melodia fisherella, 17, 18, 45, 126
 melodia melodia, 214
 melodia rufina, 186
 melodia saltonis, 126
 Merganser, American, 70, 73, 185
Mergus americanus, 70
 Miller, Loye, the eastern kingbird in California again, 44; a surprising trait in the black-necked stilt, 126; the Kaeding petrel in California, 211; first flights of a young golden eagle, 212
Mimus polyglottos leucopterus, 190
 polyglottos polyglottos, 43
 Mockingbird, 43, 190
Molothrus ater obscurus, 41, 211
 Munro, J. A., the Barrow golden-eye in the Okanagan Valley, British Columbia, 3; review of his "report of field work in Okanagan and Shuswap districts in 1916", 48
 Murphy, Robert Cushman, review of his "natural history observations from the Mexican portion of the Colorado desert", 97

- Murre, California, 178
 Murrelet, Marbled, 98, 184
 Muscivora forficata, 41, 212
 Myadestes townsendi, 44
 Mycteria americana, 126
 Myiarchus cinerascens cinerascens, 41, 168
 crinitus, 41
 lawrencei olivascens, 168
 magister magister, 22, 168
 Myiochanes pertinax pallidiventris, 21
 richardsoni richardsoni, 46, 96
 Myiodynastes luteiventris, 96, 168

N

- Nannus hiemalis, 186
 hiemalis pacificus, 190
 Nettion carolinensis, 185
 Nighthawk, Pacific, 24, 73, 78
 Texas, 41
 Nutcracker, Clarke, 199, 202
 Nuthatch, Canada, 46
 Inyo Slender-billed, 88
 Pigmy, 21, 73
 Red-breasted, 12, 16
 Rocky Mountain, 2
 Slender-billed, 75
 White-breasted, 176
 Nuttallornis borealis, 46
 Nyctea nyctea, 45, 93, 193
 Nycticorax nycticorax naevius, 39

O

- Oberholser, Harry C., description of a new subspecies of *Cyanolaemus clemenciae*, 181; description of a new *Lanius* from Lower California, 209
Oceanodroma beldingi, 60
 furcata, 180
 leucorhoa beali, 46
 leucorhoa beldingi, 46
 leucorhoa kaedingi, 46, 211
 leucorhoa leucorhoa, 46
Ochthodromus wilsonius wilsonius, 187
Oidemia americana, 85
 deglandi, 185
Olor columbianus, 93
Oporornis formosus, 43
 tolmiei, 17, 76
Oreortyx picta plumifera, 61
Oreospiza chlorura, 15, 73
Oriole, Arizona Hooded, 170
 Baltimore, 176
 Bullock, 42, 170
 Scott, 22, 170
Ornismya costae, 114
Otus asio aikenii, 24
 asio bendirei, 127
 asio kennicottii, 185
 asio mecalli, 40
 asio quercinus, 127

- Ouzel, Water, 13, 70, 78
 Owl, Aiken Screech, 24
 Barn, 40
 Burrowing, 30, 40, 176
 California Pigmy, 18
 California Screech, 127
 Dusky Horned, 45
 Flammulated, 58
 Horned, 191
 Long-eared, 127, 134, 195
 Pacific Horned, 125, 127, 195
 Pigmy, 58, 127
 Rocky Mountain Pigmy, 86
 Screech, 185
 Short-eared, 101, 112, 113, 125, 127
 Snowy, 45, 93, 193
 Southern California Screech, 127
 Texas Barred, 40
 Western Barred, 58
 Western Horned, 40
Oxyechus vociferus, 39

P

- Palmer, T. S., Costa's hummingbird—its type locality, early history and name, 114; another reference to early experiments in keeping hummingbirds in captivity, 123; Pacific coast records of the European widgeon, 187
Parabuteo unicinctus harrisi, 40, 212
 Parrot, Thick-billed, 100
 Partridge, Chestnut-bellied, 39
Parus montanus, 61
Passer domesticus, 42
Passerculus alaudinus, 123
 beldingi, 57, 60
 sandwichensis nevadensis, 17, 18
Passerella iliaca brevicauda, 139
 iliaca megarhyncha, 75
 iliaca stephensi, 138, 139
Passerina amoena, 19, 23, 212
 cyanea, 23, 24
 Pearson, T. Gilbert, review of his "the bird study book", 48
 Pelican, California Brown, 124
 White, 29, 47
Penthestes carolinensis agilis, 43
 gambeli gambeli, 13, 21, 71
 rufescens, 186
Perisoreus canadensis, 186
 canadensis capitalis, 197
 obscurus griseus, 84
 obscurus obscurus, 83
 obscurus rathbuni, 83
 Petrel, Belding, 60
 Fork-tailed, 180
 Kaeding, 211
Petrochelidon lunifrons lunifrons, 42, 91
Peucaea cassini, 42
Peucedramus olivaceus, 168

- Pewee, Western Wood, 46, 96, 168
Wood, 176
- Peyton, Laurence, large sets of eggs of the
western red-tailed hawk, 191
- Phainopepla, 193
- Phainopepla nitens, 193
- Phalacrocorax dilophus albociliatus, 57
penicillatus, 85
- Phalaenoptilus nuttalli californicus, 144
nuttalli nuttalli, 41
- Phalarope, Northern, 192
Red, 192
Wilson, 44, 65
- Phalaropus fulicarius, 192
- Phaleris psittacula, 85
- Phloeotomus pileatus, 186
pileatus abieticola, 13
pileatus picinus, 45
- Phoebe, 41
Black, 14, 190
- Pica pica hudsonia, 72, 189
- Pierce, Wright M., Salton Sink song spar-
row at Oro Grande, California, 126
- Pigeon, Band-tailed, 15, 45, 185
- Pintail, 30, 32, 33, 34, 35, 77, 123
- Pipilo aberti, 169
crissalis, 117
crissalis carolae, 118, 119
crissalis crissalis, 118, 119, 139
crissalis senicula, 118, 119
erythrophthalmus alleni, 23
erythrophthalmus erythrophthalmus, 23
fuscus, 117
fuscus carolae, 118
fuscus mesoleucus, 169
fuscus senicula, 117
maculatus, 83, 117
maculatus curtatus, 87
maculatus falcinellus, 15, 87
maculatus montanus, 87
- Pipit, 45, 98, 112
Sprague, 24
- Piranga hepatica, 21, 168
ludoviciana, 14, 21, 46, 168
rubra cooperi, 169
rubra rubra, 42
- Pisobia maculata, 44
- Planesticus migratorius, 186
migratorius propinquus, 14, 168
- Plegadis guarauna, 39, 61
- Plover, Mountain, 56, 109, 157
Semipalmated, 185
Upland, 64, 112, 113
Wilson, 187
- Podasocys montanus, 157, 163
- Podilymbus podiceps, 189
- Polioptila caerulea caerulea, 44
caerulea obscura, 19
- Polyborus cheriway, 40
- Poor-will, 41
- Progne subis subis, 42, 93
- Psaltiriparus minimus, 117
plumbeus, 170
- Ptarmigan, 185
- Ptychorhamphus aleuticus, 180
- Puffin, Tufted, 178, 180
- Puffinus creatopus, 85, 178
fuliginosus, 178
griseus, 185
- Pyrocephalus rubinus mexicanus, 41, 167
- Pyrrhuloxia, Arizona, 169
Texas, 42
- Pyrrhuloxia sinuata sinuata, 169
sinuata texana, 42
- Q**
- Quail, Mountain, 56, 61
- Querquedula cyanoptera, 38
- Quillin, Roy W., and Holleman, Ridley, the
breeding birds of Bexar County, Tex-
as, 37
- Quiscalus quiscula aeneus, 42
- R**
- Rail, Belding, 60
Sora, 31, 64, 65, 69
- Rallus beldingi, 58, 60
- Raven, 107, 186
- Ray, Milton S., six weeks in the high Sierras
in nesting time, 70
- Redhead, 5, 26
- Redpoll, 129
- Redstart, Painted, 21, 168
- Red-tail, Western, 40
- Regulus calendula cineraceus, 72
calendula grinnelli, 85
satrapa olivaceus, 24
- Riparia riparia, 90
- Roadrunner, 40
- Robin, 186
Western, 14, 168
- Rough-leg, Ferruginous, 127, 136
- S**
- Salpinctes obsoletus obsoletus, 19, 126
- Sandpiper, Pectoral, 44
Spotted, 27, 136
Western, 185
- Sapsucker, Red-breasted, 18
Sierra, 24
Sierra Red-breasted, 72, 73, 74
Williamson, 45, 72, 73, 74, 76
- Sayornis nigricans, 14, 190
phoebe, 41
- Scardafella inca, 40, 169
- Scaup, 3, 26
- Schussler, George W., the salt-marsh yel-
lowthroats of San Francisco, 62
- Scoter, American, 85
White-winged, 25, 132, 175, 185

- Selasphorus platycercus*, 21, 87, 168
 rufus, 13, 16, 123, 186
 Sell, R. A., the scarlet ibis in Texas, 78
Setochoalcis vocifera arizonae, 91
Setophaga picta, 21, 168
 Shearwater, 185
 Pink-footed, 85, 178
 Sooty, 178
 Shoveller, 27, 30, 31, 32, 33, 34, 38, 67
Sialia mexicana occidentalis, 16, 18, 71
 sialis sialis, 44
Sitta canadensis, 12, 46
 carolinensis aculeata, 75, 88
 carolinensis nelsoni, 21, 88
 carolinensis tenuissima, 88
 pygmaea leuconucha, 58
 pygmaea pygmaea, 21, 73
 Skua, 179, 180
 Smith, Austin Paul, September notes from
 Keddie, Plumas County, California, 45;
 whip-poor-will in New Mexico, 91;
 some Texas bird notes, 212
 Snipe, Wilson, 74, 85, 136
 Solitaire, Townsend, 44, 57
 Sora, 67, 136, 170
 Sparrow, Baird, 98
 Belding Marsh, 60
 Bell, 98, 190
 Black-chinned, 22, 42
 Brewer, 17, 18
 Cassin, 42
 Clay-colored, 25, 28, 68, 112, 176
 Desert, 23
 English, 42
 Forbush, 17, 18
 Gambel, 15, 16, 18
 Harris, 24
 Lincoln, 17, 189
 Modoc Song, 18, 45, 126
 Nelson, 64, 67
 Nevada Savannah, 17, 18
 Rock, 42, 212
 Rufous-crowned, 98
 Salton Sink Song, 126
 San Diego Song, 126
 Savannah, 34, 67, 112
 Song, 28, 69, 176, 186
 Stephens Fox, 138
 Thick-billed, 61, 75, 77
 Vesper, 69, 70, 112
 Western Chipping, 15, 16, 189
 Western Grasshopper, 42
 Western Lark, 42, 190, 212
 White-crowned, 15, 61
 Yolla Bolly Fox, 138
Spatula clypeata, 38
Speotyto cunicularia hypogaea, 40
Spiza americana, 42
Spizella atrogularis, 22
 breweri, 17
 passerina arizonae, 15, 189
Sphyrapicus ruber ruber, 18
 thyroideus thyroideus, 45, 72
 varius daggetti, 24, 72
 Spoonbill, 9
 Roseate, 79
 Squires, Walter A., and Hansen, Harold E.,
 the destruction of birds at the light-
 houses on the coast of California, 6
Stellula calliope, 16, 70
 Stephens, Frank,—an autobiography, 164
Stercorarius longicauda, 85
Sterna hirundo, 180
 paradisaea, 85
 Stilt, Black-necked, 126
Strix varia helveola, 40
 Surf-bird, 85
 Swallow, American Barn, 34, 37, 68, 92
 Bank, 90
 Cliff, 52, 71, 72, 73, 75, 76, 91, 105, 109
 Tree, 71, 85
 Violet-green, 105
 Swan, Whistling, 93
 Swarth, H. S., notes on some birds from
 central Arizona, 20; review of J. A.
 Munro's "report of field work in Oka-
 nagan and Shuswap districts in
 1916", 48; the subspecies of the Ore-
 gon Jay, 83; review of Frank S. Chap-
 man's "distribution of bird life in
 Colombia", 95; the distribution of the
 subspecies of the brown towhee
 (*Pipilo crissalis*), 117; review of P. A.
 Taverner and R. M. Anderson's "sum-
 mary report of the geological survey
 of Canada", 141; review of Jonathan
 Dwight's "the geographical distribu-
 tion of color and of other variable
 characters in the genus Junco: a new
 aspect of specific and subspecific val-
 ues", 142; review of Charles B. Cory's
 "catalogue of birds of the Americas
 and adjacent islands in Field museum
 of natural history", 143
 Swift, Chimney, 176
 Vaux, 16, 18
 White-throated, 16, 103, 196
- T
- Tachytriorchis albicaudatus sennetti*, 212
 Tanager, Cooper, 169
 Hepatic, 21, 168
 Summer, 42
 Western, 14, 21, 46, 168, 196
 Taverner, P. A., and Anderson, R. M., re-
 view of their "summary report of the
 geological survey of Canada for
 1916", 141
 Taverner, P. A., some summer birds of Alert

- Bay, British Columbia, 183; Heermann
 Gull with white primary coverts, 187;
 trinomials and current practice, 213
 Taylor, Henry Reed, death notice, 47
 Teal, Blue-winged, 31, 65, 67
 Cinnamon, 38, 123
 Green-winged, 185
 Tern, Arctic, 85
 Black, 32, 111, 112, 113, 175
 Common, 180
 Thrasher, Curve-billed, 43
 Pasadena, 126
 Thrush, Big Tree, 59
 Dwarf Hermit, 145
 Monterey Hermit, 192
 Russet-backed, 192
 Sierra Hermit, 24
 White Mountains Hermit, 89
 Thryomanes bewicki, 83
 bewicki cryptus, 43
 Thryothorus ludovicianus ludovicianus, 43
 Titmouse, Bridled, 21
 Plain, 98
 Sennett, 43
 Totanus flavipes, 44
 Towhee, Abert, 97, 169
 California Brown, 97, 117
 Canyon, 117, 169
 Green-tailed, 15, 73, 77
 Mountain, 87
 Sacramento, 15
 Spotted, 83
 Toxostoma curvirostre curvirostre, 43
 redivivum pasadenense, 126
 Trochilus topiltzin, 181
 Troglodytes aedon parkmani, 19, 75, 168
 Turdus sequoiensis, 59
 Turkey, Rio Grande, 212
 Tyrannus tyrannus, 44
 verticalis, 18, 170, 190
 vociferans, 168, 170
- U**
- Uria troille californica, 178
- V**
- Verdin, 43, 98
 Vermivora celata lutescens, 16, 18
 celata sordida, 189
 luciae, 168
 rubricapilla gutturalis, 17
 virginiae, 168, 193
 Vireo, Bell, 43, 98
 Black-capped, 212
 California Least, 211
 Cassin, 19, 141
 Gray, 98
 Plumbeous, 168
 Warbling, 176
 Western Warbling, 16, 19, 168
 White-eyed, 43
 Vireo atricapillus, 212
 belli belli, 43
 belli medius, 212
 belli pusillus, 211
 griseus griseus, 43
 Vireosylva gilva swainsoni, 16, 19, 168
 Vulture, Black, 24, 38, 40
 Turkey, 38, 40
- W**
- Walker, Alex, corrections, 44
 Warbler, Audubon, 16, 22, 70, 74, 189
 Black-throated Gray, 46
 Calaveras, 17
 California Yellow, 211
 Dusky, 189
 Golden-cheeked, 43
 Golden Pileolated, 19
 Grace, 168
 Kentucky, 43
 Lucy, 98, 168
 Lutescent, 16, 17, 18
 Macgillivray, 17
 Olive, 168
 Red-faced, 21, 98, 168
 Sonora Yellow, 168
 Tolmie, 76
 Virginia, 168, 193
 Yellow, 15, 19, 30, 172, 176
 Warburton, Stanley, Jr., some oceanic birds
 from off the coast of Washington and
 Vancouver Island, 178; late snowy owl
 dates, 193
 Waxwing, Cedar, 186
 Wetmore, Alexander, a note on the tracheal
 air-sac in the ruddy duck, 19
 Whip-poor-will, Stephens, 22, 91
 Widgeon, American, 123
 European, 93, 122, 187, 192
 Willard, F. C., evidence that many birds re-
 main mated for life, 167
 Willet, 34, 113
 Willett, George, bird notes from Forrester
 Island, Alaska, 85; a peculiarity of
 plumage in some specimens of the
 Heermann gull, 122
 Wilsonia pusilla chryseola, 19
 Woodpecker, Baird, 41
 Batchelder, 22
 Cabanis, 16, 169
 Cactus, 169
 California, 16
 Golden-fronted, 41
 Hairy, 186
 Lewis, 18
 Modoc, 71, 72, 73, 76
 Northern Pileated, 13
 Pileated, 45, 186
 Red-bellied, 24

Red-headed, 26, 69, 122
Texas, 41
Valdez Downy, 85
White-breasted, 86
White-headed, 45
Willow, 16
Wren, Bewick, 83
Cactus, 43, 189
Canyon, 43, 98, 168
Carolina, 43
House, 28, 69, 136
Parkman, 75
Rock, 19, 126
Texas Bewick, 43
Western House, 19, 168
Western Winter, 190
Winter, 186
Wren-tit, 98
Wyman, L. E., notes from southern California, 192

X

Xenopicus albolarvatus albolarvatus, 45

Y

Yellowlegs, Lesser, 44
Yellowthroat, Belding, 60
Maryland, 25, 28, 34, 176
Salt-marsh, 62
Western, 16, 169

Z

Zamelodia melanocephala, 14, 19
Zenaidura macroura carolinensis, 169
 macroura marginella, 39
Zonotrichia albicollis, 61
 leucophrys gambeli, 15, 18
 leucophrys leucophrys, 15
 querula, 24

